

Advantage Plus™



Ultraguard

Advantage Plus™

Advantage Plus™ offers protection in general purpose industrial applications. The fabric will not let water-based liquids penetrate. This unique fabric is available in the form of aprons, coveralls, lab coats, and sleeves.

Lightweight yet durable, Advantage Plus™ is made from polyethylene coated polypropylene. It is ideal for food manufacturing, light industrial, cleanroom, and similar industries where a low particulate barrier garment is necessary. By lightly coating polypropylene with a layer of polyethylene, the material has a reduced particle release and protects from water based liquids and certain chemicals. PE Coated Polypropylene is an economical choice for worker comfort and safety.

Applications: Paint spraying, pesticides handling, asbestos abatement, cleanroom, fiberglass handling, food processing, general maintenance, light chemicals, mining operations, nuclear industries, dental, surgical scrub, veterinary.

Specifications

Coveralls

- Weight: 40 gm/m²
- PE Coating: 0.02 mm
- Sizes S-4XL

Lab Coats

- Weight: 40 gm/m²
- PE Coating: 0.02 mm
- Sizes S-4XL

Aprons

- Weight: 40g/m²
- PE Coating: 0.02 mm
- Size Universal

Sleeves

- Weight: 40 gm/m²
- PE Coating: 0.02 mm
- Sizes 18" or 20"

Isolation Gowns

- Weight: 30g/m²
- PE Coating: 0.02 mm
- Isolation Gown Blood Strike Through [%]=0
- Color: Yellow or Blue
- Size Universal
- Measurements

Chest 68.58cm
Sleeve (outseam from center back) ..88.90cm
Neck 25.40cm
Body Length from bottom of neck ... 99.06cm

*Specifications subject to change without notice.

Advantage Plus™



Coveralls

Product No. APP0210
Description Elastic Wrist & Ankle
 Packaging: 25 coveralls per case
 Sizes: S-4XL
 Colors: White



Coveralls

Product No. APP0230
Description Elastic Wrist & Ankle with Attached Hood & Boot
 Packaging: 25 coveralls per case
 Sizes: S-4XL
 Colors: White




Lab Coats

Product No. APP0242
Description Open Wrist, Full Collar, Three Pockets
 Packaging: 30 lab coats per case
 Sizes: S-4XL
 Colors: White



Aprons

Product No. APP0280
Description Aprons
 Packaging: 100 aprons per case
 Size: 28" x 36"
 Colors: White



Sleeves

Product No. APP0380-21-18
Description 18" Sleeve
 APP0380-21-20 20" Sleeve
 Packaging: 200 sleeves per case
 Sizes: 18" or 20"
 Colors: White

Isolation Gowns

Product No. APP0278
Description Elastic Wrist
 APP0279 Knit Cuff
 Packaging: 50 gowns per case
 Sizes: Universal
 Colors: Yellow or Blue



Shoe Covers

Product No. APP0330-PCO-XL
Description Shoe Cover, 40gm
 Packaging: 300 shoe covers per case
 Sizes: Extra Large
 Colors: White or Light Blue

Additional **Ultraguard** Items Include:

Advantage

Coveralls
 Lab Coats
 Isolation Gowns
 Bouffant Caps
 Shoe Covers
 Face Masks

Advantage Pro

Coveralls
 Lab Coats
 Isolation Gowns
 Shoe Covers

Polyethylene

Aprons
 Gloves
 Sleeves
 Shoe Covers
 Shower Caps
 Rain Coats
 Ponchos

Tyvek

Coveralls
 Frocks/Lab Coats
 Aprons
 Sleeves
 Shoe Covers
 Bouffant Caps



Local: 330-896-7373
 Fax: 330-899-0407

800-978-4299

www.plxindustries.org

1505 Corporate Woods Pkwy, Suite 500
 Uniontown, OH 44685
 info@plxindustries.com



TECHNICAL DATA SHEET

ADVANTAGE PLUS

Description

Polyethylene coated Polypropylene is the ultimate alternative to Tyvek®. PE/PP offers protection in general purpose industrial applications. By lightly coating polypropylene with a layer of polyethylene, the material has a reduced particle release and protects from water based liquids and certain chemicals.

Specifications

Material: Polyethylene Coated Polypropylene

Average Weight (g): 40 gram/m²

Splash & Chemical Protection

Advantage Plus: Use this fabric only in light to moderate contact in either splash or chemical areas. This fabric reduces particle release.

Features & Benefits

- Durable
- Low lint
- Cost effective
- Preferred material for non-hazardous work environments



MATERIAL SAFETY DATA SHEET

ADVANTAGE PLUS

Identification

Product Description:

Olefin fiber is a generic description which covers thermoplastic fibers derived from olefins, predominately aliphatic hydrocarbons. Polypropylene (PP) and polyethylene (PE) are two most common members of the family. A combination of PE/PP resin can produce a particularly useful binder fiber

Physical and Chemical Properties

The higher melting PP is the core portion of the fiber and the lower melting PE is the skin or sheath portion. In use, the fiber web is heated to a temperature above the melting point of PE, but below the melting temperature of PP.

Potential Health Effects/First Aid Measures

Potential Health Effects:

Eye contact will produce a mechanical irritation. Skin contact should produce no skin irritation, swelling, or sensitization.

Storage

Storage:

Store non-woven fabric in a warehouse equipped with a sprinkler system. Do not store near flame, heat, or strong oxidants, such as hot or concentrated nitric acid or fuming sulfuric acid.