



Advantage I™

Advantage I™, is the preferred material for non-hazardous work environments where a cost effective disposable garment is needed. This light-weight, breathable fabric is made of 100% spunbound polypropylene. Polypropylene is durable and low lint. This versatile fabric is converted into coveralls, lab coats, and isolation gowns.

Advantage I™ offers cool, comfortable protection. Lightweight yet durable, polypropylene is ideal for food manufacturing, light industrial, medical, and similar industries where a low particulate barrier garment is necessary. The material will not flare, but will melt if exposed to direct high heat or flame. Mildew resistant, non-allergic, and disposable.

Applications: Paint spraying, pesticides handling, asbestos abatement, cleanroom, fiberglass handling, food processing, general maintenance, light chemicals, mining operations, nuclear industries, dental, surgical scrub, veterinary.

Specifications

Coveralls

- Polypropylene weight: 40 gm/m²
- Color: White
- Sizes S-4XL

Lab Coats

- Polypropylene weight: 40 gm/m²
- Color: White or Blue
- Sizes S-4XL

Isolation Gowns

- Weight: 40g/m²
- Potential for Minimal Fluid Contact and Contact Isolation
- Color: Yellow or Blue
- Size Universal
- Measurements

Chest	68.58cm
Sleeve (outseam from center back)	88.90cm
Neck	25.40cm
Body Length from bottom of neck	99.06cm

*Specifications subject to change without notice

Advantage I™



Coveralls

Product No. APP0180
Description Elastic Wrist & Ankle

Packaging: 25 coveralls per case
Sizes: S-4XL
Colors: White



APP0190 Elastic Wrist & Ankle with Attached Hood & Boot

Packaging: 25 coveralls per case
Sizes: S-4XL
Colors: White



Lab Coats


Product No. APP0250
Description Elastic Wrist, Mandarin Collar, No Pockets

APP0250-KNIT
Knit Cuff, Mandarin Collar, No Pockets

APP0252
Open Wrist, Full Collar, Two Pockets

Packaging: 30 lab coats per case
Sizes: S-4XL

Colors: White, Blue



Isolation Gowns

Product No. APP0270
Description Elastic Wrist

APP0275
Knit Cuff

Packaging: 50 gowns per case
Sizes: Universal
Colors: Yellow or Blue

Additional **Ultraguard** Items Include:

Advantage Plus

Aprons
Coveralls
Lab Coats
Isolation Gowns
Shoe Covers

Advantage Pro

Coveralls
Lab Coats
Isolation Gowns
Shoe Covers

Polyethylene

Aprons
Gloves
Sleeves
Shoe Covers
Shower Caps
Rain Coats
Ponchos

Tyvek

Coveralls
Frocks/Lab Coats
Aprons
Sleeves
Shoe Covers
Bouffant Caps



Local: 330-896-7373
Fax: 330-899-0407

800-978-4299

www.plxindustries.org

PLX Portage **INC.**
Lakes
INDUSTRIES

1505 Corporate Woods Pkwy, Suite 500
Uniontown, OH 44685
info@plxindustries.com



TECHNICAL DATA SHEET

ADVANTAGE I ISOLATION GOWNS

Product Code: APP0270(Elastic cuff) APP0275(Knit cuff)
Colors Available: Yellow, or Blue
Sizes Available: Universal
Packaging: 100 gowns per case

Specifications

Material: 100% spunbound filament, Polypropylene
Average Weight (g): 40 gram/m²

Features & Benefits

- Durable and Breathable
- Low lint
- Cost effective
- Preferred material for non-hazardous work environments



MATERIAL SAFETY DATA SHEET

POLYPROPYLENE ITEMS

Identification

Product Description: Polypropylene Nonwovens- All weights and colors of untreated polypropylene fabric

Chemical and Common Name: Polypropylene- ($\text{CH}_2-\text{CH}-\text{CH}_3$)

Appearance and Odor: Bonded nonwoven fabric, white and various colors.
No odor.

Typical Physical & Chemical Characteristics

Volatile (vol) %: Less than 0.4

Solubility in Water: Negligible

Specific Gravity: 0.88-0.92

Fire and Explosion

Flash Point: Above 650°F

Autoignition Temperature: Greater than 700°F

Extinguishing Media: Agents approved for Class A fires

Special Firefighting Procedures: Standard procedures for Class A fires. Use water spray to cool fire-exposed surfaces. Protect personnel with usual precautions including use of self-contained breathing apparatus for smoke and oxygen depletion.

Incompatibility: Avoid excessive heat, strong oxidizers, acids, and caustics.

Hazardous Decomposition Products: Carbon Monoxide, Carbon Dioxide

Hazardous Polymerization: Will not occur



PLX INDUSTRIES
1505 Corporate Woods Pkwy, Suite 500 - Uniontown, OH 44685
Local: 330-896-7373 Fax: 330-899-0407 info@plxindustries.com
800-978-4299



MATERIAL SAFETY DATA SHEET

POLYPROPYLENE APPAREL ITEMS (continued)

Spill Procedures & Waste Disposal

Spill Procedures: If material is not contaminated, return to proper package for use. If material is contaminated, place in proper container for disposal.

Waste Disposal Method: Sweep up waste fabric and recycle, incinerate or landfill in conformity to local disposal regulations.

Other Precautions

Storage: Store nonwoven fabric in a warehouse equipped with a sprinkler system. Do not store near flame, heat or strong oxidants, such as hot or concentrated nitric acid or fuming sulfuric acid.

Exposure Data

Eyes: Safety glasses should be worn when performing any industrial operation.